

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7: Wiota-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
11B: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Ely-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.14	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
41: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
41B: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
41C: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
41D: Sparta-----	Very limited Seepage Slope	1.00 0.02	Very limited Seepage	1.00	Very limited Deep to water	1.00
43: Bremer-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.56	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
54: Zook-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.86	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
63B: Chelsea-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
63C: Chelsea-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
63E: Chelsea-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
65D2: Lindley-----	Somewhat limited Seepage Slope	0.05 0.01	Somewhat limited Piping	0.67	Very limited Deep to water	1.00
65E2: Lindley-----	Somewhat limited Seepage Slope	0.05 0.04	Somewhat limited Piping	0.67	Very limited Deep to water	1.00
65F: Lindley-----	Somewhat limited Slope Seepage	0.18 0.05	Somewhat limited Piping	0.67	Very limited Deep to water	1.00
65F2: Lindley-----	Somewhat limited Slope Seepage	0.18 0.05	Somewhat limited Piping	0.67	Very limited Deep to water	1.00
75: Givin-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone Hard to pack	0.43 0.38	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
76B: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
76C2: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
76D2: Ladoga-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
80B: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
80C: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
80C2: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
80D: Clinton-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
80D2: Clinton-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
80D3: Clinton-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
83B: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
83C2: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
88: Nevin-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
110B: Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
110C: Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
110E: Lamont-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
118: Garwin-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
119: Muscatine-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
119B: Muscatine-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
120B: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
120C: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
120C2: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.01	Very limited Deep to water	1.00
120D2: Tama-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.01	Very limited Deep to water	1.00
122: Sperry-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Hard to pack	1.00 0.18	Somewhat limited Slow refill Cutbanks cave	0.30 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
133+: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
135: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.10
			Seepage	0.09		
			Piping	0.02		
140: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
141: Watseka-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
			Seepage	0.99	Deep to water	0.01
152: Marshan-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
			Seepage	0.95		
160: Walford-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
161: Walford-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Atterberry-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.91	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
162B: Downs-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
162C: Downs-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
162C2: Downs-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
162D2: Downs-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
163B: Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163C: Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163C2: Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163D: Fayette-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163D2: Fayette-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163D3: Fayette-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.03	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163E: Fayette-----	Somewhat limited Seepage Slope	0.70 0.04	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163E2: Fayette-----	Somewhat limited Seepage Slope	0.70 0.04	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163E3: Fayette-----	Somewhat limited Seepage Slope	0.70 0.04	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163F: Fayette-----	Somewhat limited Seepage Slope	0.70 0.18	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163F2: Fayette-----	Somewhat limited Seepage Slope	0.70 0.18	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163G: Fayette-----	Somewhat limited Seepage Slope	0.70 0.64	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
165: Stronghurst-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.53	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
171B: Bassett-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.58	Very limited Deep to water	1.00
171C2: Bassett-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.58	Very limited Deep to water	1.00
171D2: Bassett-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.58	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
171D3: Bassett-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.58	Very limited Deep to water	1.00
173: Hoopeston-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.49	Very limited Cutbanks cave Deep to water	1.00 0.01
174B: Bolan-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
175: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
175B: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
175C: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
178: Waukee-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
179D2: Gara-----	Somewhat limited Seepage Slope	0.05 0.01	Not limited		Very limited Deep to water	1.00
179E2: Gara-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Deep to water	1.00
184: Klinger-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.02	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
220: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
226: Lawler-----	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.43 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25
279: Taintor-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.12	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
280: Mahaska-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Hard to pack	0.43 0.06	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
281B: Otley-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
281C2: Otley-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
281D2: Otley-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
284: Flagler-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
285C: Burkhardt-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.91	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
291: Atterberry-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.91	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
291B: Atterberry-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.91	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
293C: Chelsea-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
293C2: Chelsea-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
293D: Chelsea-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.03	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
293D2:						
Chelsea-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.96	Deep to water	1.00
	Slope	0.01				
Lamont-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.98	Deep to water	1.00
	Slope	0.01				
Fayette-----	Somewhat limited		Somewhat limited		Very limited	
	Seepage	0.70	Piping	0.03	Deep to water	1.00
	Slope	0.01				
293E:						
Chelsea-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.96	Deep to water	1.00
	Slope	0.04				
Lamont-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.98	Deep to water	1.00
	Slope	0.04				
Fayette-----	Somewhat limited		Somewhat limited		Very limited	
	Seepage	0.70	Piping	0.03	Deep to water	1.00
	Slope	0.04				
293E2:						
Chelsea-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.96	Deep to water	1.00
	Slope	0.04				
Lamont-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.98	Deep to water	1.00
	Slope	0.04				
Fayette-----	Somewhat limited		Somewhat limited		Very limited	
	Seepage	0.70	Piping	0.03	Deep to water	1.00
	Slope	0.04				
293F:						
Chelsea-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.96	Deep to water	1.00
	Slope	0.18				
Lamont-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.98	Deep to water	1.00
	Slope	0.18				

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fayette-----	Somewhat limited Seepage Slope	0.70 0.18	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
293G: Chelsea-----	Very limited Seepage Slope	1.00 0.64	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage Slope	1.00 0.64	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage Slope	0.70 0.64	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
320: Arenzville-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.97	Somewhat limited Deep to water Slow refill Cutbanks cave	0.96 0.30 0.10
350B: Waukegan-----	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.99	Very limited Deep to water	1.00
352B: Whittier-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.98 0.49	Very limited Deep to water	1.00
352C2: Whittier-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.98 0.49	Very limited Deep to water	1.00
377B: Dinsdale-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.22	Very limited Deep to water	1.00
377C2: Dinsdale-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.22	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
382: Maxfield-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
420B: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
422: Amana-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.12	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
428B: Ely-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.14	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
430: Ackmore-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
442B: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
442C2: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
442D2: Tama-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.04	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Dickinson-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
453: Tuskeego-----	Not limited		Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
484: Lawson-----	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
485: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.73	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
520: Coppock-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.02	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
539: Perks-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
621: Houghton-----	Very limited Seepage	1.00	Very limited Content of organic matter Depth to saturated zone	1.00 1.00	Somewhat limited Cutbanks cave	0.10
687: Watkins-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
687B: Watkins-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
688: Koszta-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Slow refill	0.30
					Cutbanks cave Deep to water	0.10 0.06
727: Udolpho-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Cutbanks cave	1.00
729B: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
Arenzville-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.97	Somewhat limited Deep to water Slow refill Cutbanks cave	0.96 0.30 0.10
760: Ansgar-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
761: Franklin-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.21	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
771B: Waubeek-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.17	Very limited Deep to water	1.00
771C2: Waubeek-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
778: Sattre-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
778B: Sattre-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
792D2: Armstrong-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.95
	Slope	0.01	Piping	0.14	Cutbanks cave Deep to water	0.10 0.01
793: Bertrand-----	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.27	Very limited Deep to water	1.00
826: Rowley-----	Very limited Seepage	1.00	Very limited Seepage Depth to saturated zone Piping	1.00 1.00 0.84	Very limited Cutbanks cave Deep to water	1.00 0.01
876B: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
920: Tama-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.99 0.98	Very limited Deep to water	1.00
920B: Tama-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.99 0.98	Very limited Deep to water	1.00
962: Elvira-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
974B: Bolan-----	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
976: Raddle-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
993D2: Gara-----	Somewhat limited Seepage Slope	0.05 0.01	Not limited		Very limited Deep to water	1.00
Armstrong-----	Somewhat limited Seepage Slope	0.05 0.01	Very limited Depth to saturated zone Piping	1.00 0.14	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01
993E2: Gara-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Deep to water	1.00
Armstrong-----	Somewhat limited Seepage Slope	0.05 0.04	Very limited Depth to saturated zone Piping	1.00 0.14	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01
1119: Muscatine-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
1160: Walford-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
1220: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1280: Mahaska-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Hard to pack	0.43 0.06	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
1291: Atterberry-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.91	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
1315: Perks-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.73	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
1316: Fluvaquents-----	Not rated		Not rated		Not rated	
1484: Lawson-----	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
1485: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.73	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
2422: Amana-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.12	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Johnson County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lawson-----	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
Perks-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
5010: Pits-----	Not rated		Not rated		Not rated	
5030: Pits-----	Not rated		Not rated		Not rated	
5040: Orthents-----	Not rated		Not rated		Not rated	
INT: Intermittent Water--	Not rated		Not rated		Not rated	
SL: Sewage Lagoon-----	Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated	